

ThinkCentre neo 30s Gen 5

In today's technology-driven world, professionals look for devices that can handle complex tasks, streamline operations and boost productivity. The ThinkCentre Neo 30s Gen 5 is equipped with 13th Gen Intel Core i7 processor to handle demanding applications such as data analytics, engineering simulations and content creation. The Intel Arc A310 LP Graphics paired with the integrated Intel UHD Graphics offers flexibility for everyday tasks like browsing, presentations, and video conferencing, without sacrificing power or efficiency. The 64GB DDR5 memory ensures smooth execution of resource-intensive processes whereas the up to 1TB SSD storage provides plenty of room for repositories, files and documentation.



Rugged compact performance primed for business

ThinkCentre Neo series offers organizations enhanced manageability and security features, along with additional configuration and expansion options.

This device's robust security features, including Firmware TPM 2.0, Kensington Security Slot, Padlock Loop, and Chassis Intrusion Switch, ensure that professionals can focus on what matters most- driving sales, providing excellent customer service and optimizing operations—without worrying about data breaches or equipment theft.

The high-quality HD audio ensures that every sound is high quality, providing superior clarity, while the fast Wi-Fi connectivity facilitates higher bandwidth, low latency and help users connect with larger teams without any hassle.

The device is ENERGY STAR 8.0, EPEAT Gold and Silver certified, making it power and energy efficient.

Lenovo Services

Lenovo delivers tailored sustainability services, devices, and infrastructure solutions from our broad portfolio, working closely with you to support your target outcomes across the IT lifecycle..



Return To Depot Repair Warranty

- No-hassle repair process at a Lenovo service center
- Lenovo pays for all shipping between the customer and service facility
- Avoid unplanned operational expense with a simple annual fee

Accessories

Lenovo Performance FHD Webcam

- It has 1/2.9-inch RGB sensor, 95° lens, and 4x digital zoom. In addition, dual microphones can pick-up your voice from up to 2 meters away.
- Features a range of mounting options, from top-of-monitor to tripod, with wide-angle pan/tilt controls.
- Comes with facial recognition technology and Windows Hello 4.1.



PN: 4XC1D66055

Lenovo Essential Wireless Combo Keyboard & Mouse Gen 2

- Embrace the freedom of a clutter-free and cable-free work setup.
- Ergonomically sculpted cups and low-profile island keys for maximum comfort.
- A 2.4 MHz receiver for a seamless keyboard and mouse connection.



PN: 4X31N50708 – 4X31N50757

ThinkCentre neo 30s Gen 5

Performance

Processor

13th Gen Intel Core i5 / i7

Operating System

Windows 11 Pro
Windows 11 Home
Windows 11 Home Single Language
Ubuntu Linux

Graphics

Intel Arc A310 LP Graphics
Intel UHD Graphics (integrated)

Chipset

Intel SoC (System on Chip) platform

Memory ¹

Up to 64GB DDR5-5200, two SO-DIMM slots

¹The max memory is based on the test results with current Lenovo memory offerings.

Storage ²

Up to two drives, 2x M.2 SSD
M.2 SSD up to 1TB each

²The max capacity of each disk type is based on the test results with current Lenovo storage offerings.

Optical*

DVD-ROM or DVD±RW*

Audio

High Definition (HD) Audio
Single speaker, 1W x1*

Power Supply*

260W 90%,180W 85% PSU

Design

Form factor

SFF (8.2L)

Dimensions ³

92.5 x 291.7 x 339.5 mm (3.6 x 11.5 x 13.4 inches)

³The system dimensions may vary depending on configurations.

Weight ⁴

Around 4.63 kg (10.2 lbs)

⁴The system weight is approximate and may vary depending on configurations

Color

Black (chassis), grey (bezel)

Bays ⁵

1x 3.5" disk bay
1x slim ODD bay

⁵For installing HDD or ODD, 3.5" HDD screw and grommet kit or slim ODD bracket kit is needed.

Expansion Slots

One PCIe 4.0 x16, low-profile
One PCIe 3.0 x1, low-profile
One M.2 slot (for WLAN)
Two M.2 slots (for SSD)

Connectivity

Ethernet

One Gigabit onboard Ethernet, 1x RJ-45

WLAN + Bluetooth* ⁶

802.11ax (Wi-Fi 6), Bluetooth 5.2

⁶Wi-Fi 6E is only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.

Front ports

1x USB-C (USB 5Gbps / USB 3.2 Gen 1), with 15W charging
2x USB-A (USB 5Gbps / USB 3.2 Gen 1)
1x headphone / microphone combo jack (3.5mm)
1x microphone (3.5mm)

Rear ports

2x USB-A (Hi-Speed USB / USB 2.0)
2x USB-A (USB 5Gbps / USB 3.2 Gen 1), one supports Smart Power On
1x HDMI 2.1 TMDS
1x VGA
1x Ethernet (RJ-45)
1x line-out (3.5mm)
1x parallel*
1x serial*
1x 2nd serial*

Security & Privacy

Security

Firmware TPM 2.0 integrated in SoC
Kensington Security Slot
Padlock Loop
Chassis intrusion switch*
Smart Cable Clip*
Coded Lock*

Lenovo services

Base Warranty

Up to 1-year limited onsite service

Certifications

Green Certifications ^{8 9}

ENERGY STAR 8.0*
EPEAT Silver Registered*
EPEAT Gold Registered*
TCO Certified

⁸The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

⁹EPEAT is registered where applicable, please see [epeat.net](https://www.epeat.net) for registration status by country.

Other Certifications

TÜV Rheinland Low Noise*
TÜV Rheinland Ultra Low Noise*

Items with * are optional and only available on selected models. Information presented here may represent the maximum possible configurations for this product, but it does not necessarily reflect what is available in your region. Please ask your rep or check the specifications for specific Part Numbers in your region. © 2024 Lenovo. Products are available while supplies last. Lenovo is not responsible for photographic or typographic errors. Lenovo, the Lenovo logo, ThinkPad, ThinkCentre, ThinkBook, ThinkStation and ThinkVision are trademarks or registered trademarks of Lenovo. 3rd party product and service names may be trademarks of others. Depending on factors such as the processing capability of peripheral devices, file attributes, system configuration and operating environments, the actual data transfer rate of USB connectors will vary and is typically slower than published standards.